



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

m-L

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/056,106	01/25/2002	Kazuyuki Tsuda	JP20000394US1	9452
25259	7590	09/26/2006	EXAMINER	
IBM CORPORATION 3039 CORNWALLIS RD. DEPT. T81 / B503, PO BOX 12195 REASEARCH TRIANGLE PARK, NC 27709			DESHPANDE, KALYAN K	
			ART UNIT	PAPER NUMBER
			3623	

DATE MAILED: 09/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 10/056,106	Applicant(s) TSUDA ET AL.	
	Examiner Kalyan K. Deshpande	Art Unit 3623	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 09 June 2006.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Introduction***

1. The following is a final office action in response to the communications received on June 9, 2006. Claims 1-20 are now pending in this application.

### ***Response to Amendments***

2. Applicants' amendments to claims 1, 3, 7, 10, 13, and 19 are acknowledged. Examiner maintains the 35 U.S.C. §102(e) and 35 U.S.C. §103 rejections.

### ***Response to Arguments***

3. Applicants' arguments filed on June 9, 2006 have been fully considered but are not found persuasive. Applicants argues DeFrancesco fails to teach the execution or performance of skipped steps.

In response to Applicants' argument DeFrancesco fails to teach the execution or performance of skipped steps, Examiner respectfully disagrees. DeFrancesco clearly teaches the execution of skippable steps (see column 13 lines 38-50). DeFrancesco teaches when an exception step fails either the skip test or the completion test, a user will be prompted to take action and re-execute the step until it passes both the skip and completion test (see column 13 lines 38-50).

### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 3623

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 7-10 and 12-15 are rejected under 35 U.S.C. 102(e) as being anticipated by DeFrancesco, Jr. et al. (U.S. Patent No. 6505176).

As per claim 7, DeFrancesco et al. teach:

A workflow server for managing a workflow connected to a plurality of computer terminals, comprising:

a workflow definition management subsystem for managing workflow definitions, said workflow definitions being designed to define a workflow that includes nodes that may be skipped and recovery nodes, the recovery nodes indicating points in the workflow where skipped nodes are executed (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and column 13 lines 38-50; where computer terminals design the workflow process. The workflow design can set steps to have specific tests run on each process step. The step can be designated as waived or skipped. A process that does not have a status of "complete" is re-performed until a time it is designated as complete. Where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing.);

a process management subsystem for managing processes created by using said workflow definitions (see column 3 lines 21-67; where workflow definitions are

created using process lists. The workflow system manages all process definitions created for use in the workflow system.);

a client request management subsystem for accepting a request from a person operating said computer terminal (see column 3 lines 21-67 and column 4 lines 61-65; where client requests are controlled by client workstations.); and

a user management subsystem for controlling assignment of a person based on stored information about said person (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.).

As per claim 8, DeFrancesco et al. teach:

The workflow server of claim 7, wherein said process management subsystem automatically or manually ends an activity that is determined to be skipped, the activity serving as a transaction for each person forming said process, and then starts a next activity (see column 9 lines 34-67 and column 10 lines 1-67; where the test of completion can be performed on workflow steps. If a workflow transaction is complete, the next step in the workflow becomes active and available for performance.).

As per claim 9, DeFrancesco et al. teach:

The workflow server of claim 8, wherein said process management subsystem stores information about the skipped activity as a skip list and assigns the skipped activity to an appropriate person by referring to the skip list when proceeding to

Art Unit: 3623

processing of said recovery node while performing activities in sequence (see column 9 lines 34-67 and column 10 lines 1-67; where the workflow queue serves as an activity list of processes that need to be completed. Skipped activities are stored in workflow definitions and processes to skip if predetermined conditions are met. Until steps are “noticeable” processes are repeated until the step is “noticeable”. A specific user or work group is assigned to complete the activity.).

As per claim 10, DeFrancesco et al. teach:

An information processing apparatus for defining a workflow to be executed by a plurality of computer terminals connected to a network, comprising:

a plurality of nodes corresponding to business processes assigned to persons in charge of execution of the workflow (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

means for establishing a workflow using paths to connect the plurality of nodes (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. The workflow tests designate re-execution points and can serve as a recovery node.);

means for establishing at least one node among said plurality of nodes in the workflow that may be skipped during execution of the workflow (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.); and

means for establishing at least one recovery node in said flow to define points on the workflow where transactions that were part of the at least one skipped node are executed (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. The workflow tests designate re-execution points and can serve as a recovery node. Further where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing.).

As per claim 12, DeFrancesco et al. teach:

The information processing apparatus of claim 10, further comprising means for defining conditions for causing an automatic skip operation for said at least one skippable node established by said means for establishing said at least one skippable node (see column 9 lines 34-67 and column 10 lines 1-67; where a

workflow step is skipped based on when predefined conditions are satisfied. A predefined condition is a property that a workflow designer can define, such as assigning the skip test to a workflow step.).

As per claim 13, DeFrancesco et al. teach:

A method for defining a workflow executed at a plurality of computer terminals connected to a network, the method comprising the steps of:

Defining a workflow by defining nodes that serve as business processes that are assigned to persons in charge of execution of the workflow (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

Designating at least one of said nodes as a node that may be skipped during the execution of the workflow (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.); and

Designating at least one recovery node that indicates a re-execution point in the workflow where the persons in charge of a previously skipped node re-execute the business processes (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes.



Further where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The workflow tests designate re-execution points and can serve as a recovery node.).

As per claim 14, DeFrancesco et al. teach:

The method of claim 13, further comprising the steps of: forming a workflow using said established nodes and paths to determine a sequence of the business processes; and establishing said at least one recovery node at predetermined points on said workflow (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. The workflow tests designate re-execution points and can serve as a recovery node.).

As per claim 15, DeFrancesco et al. teach:

The method of claim 13, further comprising the step of establishing conditions for skipping any of said established nodes determined to be skippable (see column 9 lines 34-67 and column 10 lines 1-67; where a workflow step is skipped based on when predefined conditions are satisfied. A predefined condition is a property that a workflow designer can define, such as assigning the skip test to a workflow step.).

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-6, 11, and 16-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over DeFrancesco, Jr. et al. (U.S. Patent No. 6505176) in view of Gabbita et al. (U.S. Patent No. 6349238).

As per claim 1, DeFrancesco et al. teach:

A workflow system, comprising:

design computer terminals for designing a workflow (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, and column 8 lines 1-8; where a network of computers is interacting with the workflow server. Process design is done using a workflow configuration tool.);

operation computer terminals for executing said workflow (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, and column 8 lines 1-8; where workflow users are prompted for functions and actions through the use of a network of computers.); and

a workflow server for managing said workflow connected to said design computer terminals and operation computer terminals via a network, wherein said design computer terminals design the workflow by defining in advance activities that may be skipped and re-execution points in said workflow where previously skipped activities are executed and wherein said workflow server performs skip processing and

reassignment processing for said operation computer terminals based on said workflow designed by said design computer terminals (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and column 13 lines 38-50; where computer terminals design the workflow process. The workflow design can set steps to have specific tests run on each process step. The step can be designated as waived or skipped. A process that does not have a status of "complete" is re-performed until a time it is designated as complete. Where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing.).

Though DeFrancesco et al. teach re-performing skipped activities, DeFrancesco fail to explicitly teach performing reassignment of the activities. Gabbita et al. teach reassignment of workflow processes (see column 3 lines 7-14 and column 29 lines 20-67; where workflow processes, such as service orders, can be reassigned using remote workstations). The advantages of reassigning workflow processes is that the workflow step can be performed by an available resource thereby removing the bottleneck of the workflow system and increasing efficiency. It would have been obvious, at the time of the invention, for one of ordinary skill in the art to combine the feature of reassigning workflow processes of the Gabbita et al. system to the DeFrancesco et al. system in order to remove bottlenecks from the system and increasing the efficiency of the system, which is a goal of Gabbita et al. (see column 1 lines 38-44).

As per claim 2, DeFrancesco et al. teach:

The workflow system of claim 1, wherein said design computer terminals design the workflow using a plurality of nodes serving as activities that perform transactions, at least one recovery node serving as said re-execution point, and paths connecting the nodes and recovery node (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, column 13 lines 38-50, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. Where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing. The workflow tests designate re-execution points and can serve as a recovery node.).

As per claim 3, DeFrancesco et al. teach:

A workflow system, comprising:

computer terminals for executing a workflow (see column 4 lines 61-65; where a plurality of workstations are used for executing a workflow); and

a workflow server for managing said workflow connected to said computer terminals via a network (column 5 lines 18-32, column 7 lines 61-67, and column 8 lines 1-8; where a workflow server is connected to a plurality of workstations for executing the workflow), wherein said workflow server comprises:

Art Unit: 3623

means for defining a process flow by assigning transactions to predetermined operators, who operate said computer terminals, based on a workflow definition defining a process flow (see column 3 lines 61-67, column 6 lines 8-24, column 7 lines 29-38, column 7 lines 62-67, and column 8 lines 1-8; where workflow steps are assigned to individuals and work groups. The workflow is defined by a user in process steps.);

means for performing skip processing automatically or manually according to directions from said computer terminals for skipping part of the process flow by skipping one of said operators to whom the transaction is assigned (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.)

wherein the skipped transaction is executed (see column 13 lines 38-50; where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing).

DeFrancesco et al. fails to teach reassigning activities or transactions. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

As per claim 4, DeFrancesco et al. teach:

The workflow system of claim 3, wherein said computer terminals send out completion of the transaction to the workflow server after performing the transaction

Art Unit: 3623

assigned by said workflow server, wherein said transaction assigning means of the workflow server assigns a next transactor in response to the completion of said transaction from said computer terminals (see column 9 lines 34-67 and column 10 lines 1-67; where the test of completion can be performed on workflow steps. If a workflow transaction is complete, the next step in the workflow becomes active and available for performance.).

As per claim 5, DeFrancesco et al. teach:

A workflow server for managing a workflow connected to a plurality of computer terminals, comprising:

means for assigning to a predetermined person a transaction performed as a business process transaction (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

means for performing skip processing to skip the transaction assigned to said person (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, and column 10 lines 1-67; where computer terminals design the workflow process. The workflow design can set steps to have specific tests run on each process step. The step can be designated as waived or skipped. A process that does not have a status of "complete" is re-performed until a time it is designated as complete.).

Though DeFrancesco et al. teach re-performing skipped activities, DeFrancesco fail to explicitly teach performing reassignment of the activities. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

As per claim 6, DeFrancesco et al. teach:

The workflow server of claim 5, wherein said skip processing is performed when a skip request is received from a predetermined computer terminal connected to a network or when predefined conditions are satisfied (see column 9 lines 34-67 and column 10 lines 1-67; where a workflow step is skipped based on when predefined conditions are satisfied. A predefined condition is a property that a workflow designer can define, such as assigning the skip test to a workflow step.).

As per claim 11, DeFrancesco et al. teach:

The information processing apparatus of claim 10, wherein said means for establishing a flow displays said plurality of nodes, while said means for establishing at least one recovery node displays said at least one recovery node with at least one predetermined recovery icon and connects said at least one recovery node with predetermined nodes using said paths (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. The workflow tests designate re-execution points and can serve as a recovery node.).

DeFrancesco et al. fail to teach the use of icons and arrows to represent business processes. It is old and well-known in the art to use icons and arrows to designate workflow processes and steps in workflow systems. The advantage of using icons and arrows is that the use of graphical objects facilitates the designer's ability to create workflow definitions. It would have been obvious, at the time of the invention, for one of ordinary skill in the art to use icons and arrows in the DeFrancesco system in order to facilitate the designer's ability to create workflow definitions for the workflow processes, which is a goal of DeFrancesco (see column 3 lines 1-19).

As per claim 16, DeFrancesco et al. teach:

A method for executing a workflow executed at a plurality of computer terminals connected to a network, the method comprising the steps of:

assigning activities that are performed as transactions of business processes in the workflow to predetermined persons who operate the computer terminals (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

performing skip processing to skip at least one activity assigned to said persons (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.); and



DeFrancesco et al. fail to teach assigning re-execution of activities to persons. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

As per claim 17, DeFrancesco et al. teach:

The method of claim 16, wherein a list of said activities assigned to each person is stored as a wordlist, and wherein a transaction is performed by retrieving a transaction request from said work list (see figure 7; where activities are stored sequentially in a process list to be performed. A process list is the same as a worklist.).

As per claim 18, DeFrancesco et al. teach:

The method of claim 16, wherein information about any of said persons whose assigned activities have been skipped is stored as a skip list (see column 9 lines 34-67 and column 10 lines 1-67; where the workflow queue serves as an activity list of processes that need to be completed. Skipped activities are stored in workflow definitions and processes to skip if predetermined conditions are met. Until steps are "noticeable" processes are repeated until the step is "noticeable". A specific user or work group is assigned to complete the activity.)

DeFrancesco et al. fail to teach assigning re-execution of activities to persons. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

As per claim 19, DeFrancesco et al. teach:

A computer-readable storage medium for storing a program code executable by a computer, the program code comprising the steps of:

establishing nodes serving as business processes that are assigned to persons in charge of execution of a workflow, the nodes being included in the workflow (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

indicating that at least one of the nodes of the workflow may be skipped if the business processes of the at least one node cannot be completed when the workflow defines that the at least one node is to be executed (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.); and

establishing at least one recovery node where the persons in charge of skipped nodes re-execute the business processes (see column 4 lines 61-65, column 5 lines 18-32, column 7 lines 61-67, column 8 lines 1-8, column 9 lines 34-67, column 10 lines 1-67, column 13 lines 38-50 and figure 4; where the workflow configurator tool is used to design the workflow. The workflow configurator allows for the creation of workflow steps using workflow rule elements and workflow tests. The workflow steps are the same as activities and nodes. The workflow tests designate re-execution points and can serve as a recovery node. Where there is an exception step, both the skip and complete tests apply and at the failure of either test, a user is

prompted to re-execute the failed processes. The exception step is again submitted to both skip and completion tests after re-processing).

DeFrancesco et al. fail to teach assigning re-execution of activities to persons. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

As per claim 20, DeFrancesco et al. teach:

A computer-readable storage medium for storing a program code executable by a computer, the program code comprising the steps of:

assigning activities that are performed as a transaction of business processes in a workflow to predetermined persons in charge (see column 3 lines 61-67, column 6 lines 8-24, and column 7 lines 29-38; where workflow steps are assigned to individuals and work groups. Work groups and the individuals in the workgroup are defined in the workflow definitions.);

performing skip processing to skip one or more activities assigned to said persons (see column 9 lines 34-67 and column 10 lines 1-67; where the system allows a designer to implement tests for each workflow step. One of the tests is to determine whether a workflow step should be skipped.).

DeFrancesco et al. fail to teach assigning re-execution of activities to persons. This limitation is addressed by the rejection of claim 1; therefore the same rejection applies here.

### ***Conclusion***

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kalyan K. Deshpande whose telephone number is (571)272-5880. The examiner can normally be reached on M-F 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tariq Hafiz can be reached on (571) 272-6729. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
kkd

  
Romina Jeanty  
Primary Examiner  
Art Unit 3623